



CLEVELAND
W I N D O W S

579 Series

COMMERCIAL AND RESIDENTIAL PVC
WINDOW SYSTEM



PICTURE WINDOW

STANDARD FEATURES

- Track reinforcements to support laminated glass panels
- Locating nub & groove
- Screw bosses for strength
- Common contour



CONTOUR FOR SDL BARS

COMMON GLAZING BEAD

WEPT FRAME

COMMON CONTOUR

PERFORMANCE DATA

WINDOW SPECIFICATION	STRUCTURAL LOAD	WATER	OVERALL PG	THERMAL ¾" IG LOW E ARGON	THERMAL 1" IG TRIPLE GLASS DUAL LOW E & ARGON
50x63	+/- 120.0psf	DP80	C80	.28	.21
64x84	+/- 105.0psf	DP80	C70	.28	.21

PVC COMPETES ON COMMERCIAL AND RESIDENTIAL


579 Series windows bring enhanced thermal performance to commercial window design and offer an excellent alternative to aluminum windows.

Take a rich, contemporary, modern design available in a wide color palette, including bronze and black. Add over 100 accessory options and these versatile, impact capable windows are perfect for new and remodeling/replacement mid-rise construction projects.

Use SDLs (Simulated Divided Lites) to replace old aluminum windows with 21 in keeping with the neighborhood. Or give architects scope to imagine the future with new building designs that complement the existing cityscape.

SUPERIOR PERFORMANCE

- Exterior reinforcement for high DP applications
- Triple weather stripping at head and sill for optimal performance
- Impact capable
- Sill dam adjusts to meet performance requirements
- Fusion welded corners in frame and sash add strength and provide better air and water performance that does not deteriorate over time



INSTALLATION OPTIONS

The 579 Series is designed to support multiple installation methods, including nail fin and masonry clips.

99% ARGON GAS RETENTION

STANDARD SOLID COLORS



White

Sandstone

Clay

STANDARD LAMINATE COLORS



Midnight


Bronze

Anthracite Grey

Metallic

A Transparent polyvinyliden difluoride (PVDF) top layer

C Printing ink for decors
▪ Pigments: Solar Shield Technology (SST)



B Transparent PMMA upper film
▪ Weather-resistant
▪ Protection against UV irradiation

D Pigmented acrylic
▪ SST for reduced heat absorption
▪ Improved UV resistance
▪ Extended heat resistance

E Primer on the back



Experience reliability and durability with the **579 Series** – the perfect solution for both commercial and residential properties. Our PVC windows offer excellent thermal and sound insulation, resistance to external factors, and minimal maintenance requirements.

Designed with high-quality materials and advanced technology, these energy-efficient windows help reduce heating and cooling costs while ensuring long-lasting performance. With superior strength and a modern design, the **579 Series** is the ideal choice for those who value comfort, security, and style.



➤ www.clevelandwindows.com

✉ info@clevelandwindows.com

☎ 440-241-1593

📍 7809 1st Pl, Oakwood, OH 44146



With our Solex™ laminate solutions Cleveland Windows, offers faux wood laminates and a large selection of solid color options. Combine interior color preference with heat-reflective exterior laminate for curb appeal and unrivaled quality, color retention and weather resistance.



An advanced material developed through an intensive manufacturing process and formulated to withstand the harsh effects of weather and ultraviolet light. Sunshield® is an environmentally minded compound that exceeds all required material standards for strength and best-in-class performance.



The name and logo of Cleveland Windows, of its affiliated companies and of the products and services manufactured by them, are trademarks and trade names protected by national and international laws.

©2023 Cleveland Windows North America. All rights reserved.

Part No. FEN-135-0323